

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	215	context same (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:11
L2	82	1 and context same (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:05
L3	11	2 and (download\$3 or (down adj load\$3)) with record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L4	1	2 and (download\$3 or (down adj load\$3)) with (selected adj record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:53
L5	47	2 and (download\$3 or (down adj load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:08
L6	14	5 and new adj context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L7	14	6 and (shortcut or (short adj cut)) and context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:00
L8	1	7 and (visual\$8 or display\$7 or view\$3 or present\$3) same (selected adj record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:59
L9	5	7 and (visual\$8 or display\$7 or view\$3 or present\$3) same (j record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:00

L10	4	7 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:01
L11	82	2 and (shortcut or (short adj cut)) and context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:01
L12	26	11 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:15
L13	362	context adj aware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:10
L14	37	13 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:06
L15	14	14 and context same (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:05
L16	4	15 and context same (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:05
L17	6	15 and context and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:05
L18	26	2 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:06
L19	4	18 and new adj context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:06

L20	42	1 and ((user adj interface) or UI) same (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:13
L21	26	20 and (field or attribute or name) same (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:08
L22	13	21 and (download\$3 or (down adj load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:08
L23	6	21 and (download\$3 or (down adj load\$3)) with record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:08
L24	418	(context adj (aware or oriented))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L25	20	24 and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L26	0	(context adj riented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L27	57	(context adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L28	1	27 and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L29	20	13 and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:13

L30	9104	(shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:13
L31	92	30 and ((user adj interface) or UI) same ((shortcut or (short adj cut)) and context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L32	6	31 and (download\$3 or (down adj load\$3)) with record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L33	3	31 and new adj context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L34	27	31 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:15
L35	22	31 and (visual\$8 or display\$7 or view\$3 or present\$3) near9 (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:15

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20030135498".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:44
L2	2	1 and shortcut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:44
L3	2	1 and shortcut and context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:45
L4	173	shortcut same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:45
L5	2	4 and shortcut adj3 definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:46
L6	2	4 and (shortcut or short adj cut) adj3 definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:46
L7	2	4 and (shortcut or (short adj cut)) adj3 definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:47
L8	215	(shortcut or (short adj cut)) same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:47
L9	2	8 and (shortcut or (short adj cut)) adj3 definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:47

L10	21	8 and (shortcut or (short adj cut)) same definition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:01
L11	22	8 and (shortcut or (short adj cut)) adj8 (field or name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:55
L12	24	8 and (shortcut or (short adj cut)) same ((field or name) and (user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:06
L13	11	8 and context adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 08:59
L14	14	8 and context adj aware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:01
L15	362	context adj aware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:01
L16	20	15 and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:05
L17	3	16 and (shortcut or (short adj cut)) same ((field or name) and (user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:01
L18	19	16 and (shortcut or (short adj cut)) and ((field or name) and (user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:03
L19	4	16 and (shortcut or (short adj cut)) and ((field adj name) and (user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:02

L20	5	16 and (shortcut or (short adj cut)) same ((field or name)) and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:03
L21	215	(shortcut or (short adj cut)) same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:15
L22	24	21 and (shortcut or (short adj cut)) same ((field or name) and (user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:06
L23	2	21 and (shortcut or (short adj cut)) same ((field adj name) and (user adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:06
L24	2	21 and ((shortcut or (short adj cut)) same ((field or attribute or column) adj name)) and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:08
L25	29	21 and ((shortcut or (short adj cut)) and ((field or attribute or column) adj name)) and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:11
L26	11	((shortcut or (short adj cut)) same ((field or attribute or column) adj name)) and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:18
L27	6469	(select\$6 or receiv\$6) adj4 context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:15
L28	70	27 and (shortcut or (short adj cut)) same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:20
L29	6	28 and (shortcut or (short adj cut)) same (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:17

L30	62	28 and (shortcut or (short adj cut)) and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:17
L31	16	30 and ((shortcut or (short adj cut)) and ((field or attribute or column) adj name)) and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:20
L32	215	(shortcut or (short adj cut)) same context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:20
L33	29	32 and ((shortcut or (short adj cut)) and ((field or attribute or column) adj name)) and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:20

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	215	context same (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:11
L2	82	1 and context same (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:05
L3	11	2 and (download\$3 or (down adj load\$3)) with record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L4	1	2 and (download\$3 or (down adj load\$3)) with (selected adj record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:53
L5	47	2 and (download\$3 or (down adj load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:08
L6	14	5 and new adj context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L7	14	6 and (shortcut or (short adj cut)) and context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:00
L8	1	7 and (visual\$8 or display\$7 or view\$3 or present\$3) same (selected adj record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 09:59
L9	5	7 and (visual\$8 or display\$7 or view\$3 or present\$3) same (j record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:00

L10	4	7 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:01
L11	82	2 and (shortcut or (short adj cut)) and context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:01
L12	26	11 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:15
L13	362	context adj aware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:10
L14	37	13 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:06
L15	14	14 and context same (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:05
L16	4	15 and context same (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:05
L17	6	15 and context and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:05
L18	26	2 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:06
L19	4	18 and new adj context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:06

L20	42	1 and ((user adj interface) or UI) same (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:13
L21	26	20 and (field or attribute or name) same (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:08
L22	13	21 and (download\$3 or (down adj load\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:08
L23	6	21 and (download\$3 or (down adj load\$3)) with record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:08
L24	418	(context adj (aware or oriented))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L25	20	24 and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L26	0	(context adj riented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L27	57	(context adj oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L28	1	27 and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:12
L29	20	13 and (shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:13

L30	9104	(shortcut or (short adj cut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:13
L31	92	30 and ((user adj interface) or UI) same ((shortcut or (short adj cut)) and context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L32	6	31 and (download\$3 or (down adj load\$3)) with record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L33	3	31 and new adj context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:14
L34	27	31 and (visual\$8 or display\$7 or view\$3 or present\$3) same (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:15
L35	22	31 and (visual\$8 or display\$7 or view\$3 or present\$3) near9 (record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 10:15